BY ORDER OF THE SECRETARY AFI 11-2MC-130V3 CL-2 OF THE AIR FORCE

21 JUNE 2004



Flying Operations

MC-130E CREW TACTICAL CHECKLIST

This checklist complements AFI 11-2MC-130 Volume 3 MC-130 Operations Procedures, and is applicable to all AFSOC MC-130E aircrews. This checklist is meant to be printed on standard 8 ½" x 11" bond paper, then trimmed to fit the standard plastic aircrew checklist binders. Units may locally reproduce this checklist double sided on card stock to provide a more durable product for the checklist binder inserts.

TABLE OF CONTENTS

COMBAT ENTRY POINT CHECKLIST	3
COMBAT EXIT POINT CHECKLIST	5
HIGH ALTITUDE PERSONNEL (HALO/HAHO)	7
HIGH ALTITUDE EMERGENCY PROCEDURES	12
PERSONNEL/RAMP BUNDLE	13
PERSONNEL EMERGENCY PROCEDURES	18

Supersedes AFSOC Checklist 6, 1 Sep 99 and AFSOC Checklist 9, 1 !Jul 95

OPR: HQ AFSOC/DOV (Maj Kasten)

Certified by HQ USAF XOO (Brig Gen Teresa M. Peterson)

Number of Printed Pages: 62 Distribution: F

2 AFI 11-2MC-130V3 CL-2	21 JUNE 2004
CDS	20
CDS EMERGENCY PROCEDURES	26
HEAVY EQUIPMENT	27
HEAVY EQUIPMENT EMERGENCY PROCEDURES	30
BLU-82B	32
BLU-82B EMERGENCY PROCEDURES	36
HSLLADS	37
HSLLADS EMERGENCY PROCEDURES	40
CRS	42
CRS EMERGENCY PROCEDURES	48
LEAFLET	49
HOT REFUELING (TANKER)	53
HOT REFUELING (RECEIVER)	55
HOT REFUELING EMERGENCY PROCEDURES	57
COMBAT OFFLOAD	58
SEARCH	61
	!

3 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 COMBAT ENTRY POINT CHECKLIST

- 1. "COMBAT ENTRY POINT" (EWO)
- 2. "COMBAT ENTRY POINT CHECKLIST" (P)
- '3. Personal Equipment "**SET**" (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
 - a. Coat
 - b. Survival Vest
 - c. Flak Jacket
 - d. LPU
 - e. Parachute
 - f. Seat Kit/Personal Kit
 - g. Helmet
 - h. NVGs Configured
 - i. Weapons
 - j. Anti-exposure Suit
- 4. Fuel "SET, STATE QUANTITY" (E)
 - a. External Tanks Drained/As Required
 - b. Lines and Sump Drained
 - c. Fuel Flow Tank To Engine/As Required
- 5. Fuel Quantity "CHECKED" (LN)
- 6. Navigation Systems "SET" (P) (CP) (LN) (RN)
 - a. Radar As Required
 - b. TACAN Receive/As Required
 - c. Radar Transponder- OFF/ As Required
- 7. ECM Systems "SET" (EWO)
 - a. AN/APR-46 As Required

- b. AN/ALE-40/47 As Required
- c. QRC 84-02a ON/OPR/ As Required
- d. AN/ALR-69 As Required
- e. AN/ALR-44 OPER/CM INPUT/ As Required
- f. AN/ALQ-172 OPER/ As Required
- g. AN/AAQ-24 As Required
- h. IBU As Required
- 8. Communication Systems "**SET**" (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
 - a. Interphone Switch Normal/As Required
 - b. IFF STBY/As Required
 - c. Radios As Required
 - d. EW Audio As Required
- 9. Flight Deck **"SET"** (E)
 - a. Bleed Air Regulators ON/As Required
 - b. Pressurization NO PRESS/AUX VENT/As Required
 - c. Synchrophase Master Switch OFF/ As Required
 - d. TD Valves As Required
 - e. Cockpit Lights As Required
 - f. Exterior Lights OFF/As Required
 - g. CVR As Required
 - h. Loose Items Secured
 - i. Blackout/Eyebrow Curtains INSTALLED/As Required
 - j. Emergency Exit Lights As Required
 - k. NVGs As Required
 - 1. Nose Wheel Well Light CB Pulled
 - m. Applicable Lights Taped/As Required
- 10. Cargo Compartment "SET, SCANNERS IN POSITION" (LM)
- 11. Combat Entry Point Checklist "**COMPLETE**" (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)

5 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 COMBAT EXIT POINT CHECKLIST

- !1. "COMBAT EXIT POINT" (EWO)
- 2. "COMBAT EXIT POINT CHECKLIST" (P)
- 3. Fuel "SET, STATE QUANTITY" (E)
- 4. Fuel Quantity "CHECKED" (LN)
- 5. Navigation Systems "SET" (P) (CP) (LN) (RN)
 - a. Radar As Required
 - b. TACAN As Required
- 6. ECM Systems "SET" (EWO)
 - a. AN/APR-46 As Required
 - b. AN/ALE-40/47 As Required
 - c. QRC 84-02a ON/OPR/ As Required
 - d. AN/ALR-69 As Required
 - e. AN/ALR-44 OPER/CM INPUT/ As Required
 - f. AN/ALQ-172 OPER/ As Required
 - g. AN/AAQ-24 As Required
- 7. Communication Systems "SET" (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
 - a. IFF Set/As Required
 - b. Radios Set
 - c. Interphone Panels As Required
- 8. Flight Deck **"SET"** (E)
 - a. Bleed Air System Checked
 - b. Pressurization Set/As Required

- c. Synchrophase Master Switch ENG 2 or 3 as required
- d. TD Valves As Required
- e. Cockpit Lights As Required
- f. Exterior Lights Set/As Required
- g. CVR As Required
- h. Emergency Exit Lights As Required
- i. Pulled CB's Reset/As Required
- 9. Cargo Compartment "SET" (LM)
- 10. Combat Exit Point Checklist "COMPLETE" (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)

7 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 HIGH ALTITUDE PERSONNEL (HALO/HAHO)

Twenty-Minute Checklist

- 11. "TWENTY MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. "HIGH ALTITUDE PERSONNEL CHECKLIST" (P)
- 3. Helmets and Oxygen Mask "ON" (If Required) (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- '4. Slowdown, Drop Zone, And Escape "**REVIEWED**" (P) (CP) (LN) (RN) (EWO)
- 5. Terminal Data "CHECKED" (LN) (RN)
- 6. Pressurization- "DEPRESSURIZING" (E)
- 7. Twenty-Minute Checklist "COMPLETE" (LM) (E)

8 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 Ten-Minute Checklist 1. "TEN MINUTE WARNING ACKNOWLEDGED" (LM)

- 2. Cargo Release Button "MANUAL" (LN)
- '3. Red Light "**ON**" (P/CP)
- 4. High Altitude Checks "COMPLETE" (If Required) (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 5. Aux Pump "ON" (Ramp Exit Only) (CP)
- 6. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 7. Pressurization "NO PRESSURE" (E)
- 8. Ten-Minute Checklist "COMPLETE" (LM) (E)

Six-Minute Checklist

- 1. "SIX-MINUTE ADVISORY ACKNOWLEDGED" (LM)
- 2. "SIX-MINUTE CHECKS COMPLETE" (LM)

Slowdown Checklist (Paratroop Door Exit)

- 1 Flaps **"50 PERCENT"** (P/CP)
- 2 Air Deflector Doors "OPENED" (P/CP)
- 3 Paratroop Doors
 - a. "CLEAR TO OPEN" (P)
 - b. "OPEN AND LOCKED" (LM)
- 4. Slowdown Checklist "COMPLETE" (LM) (E)

Slowdown Checklist (Ramp Exit)

- 1. Flaps **"50 PERCENT"** (P/CP)
- 2. Ramp And Door
 - a. "CLEAR TO OPEN" (LM) (P)
 - b. "OPEN AND LOCKED" (LM)
 - c. "INDICATES OPEN" (E)
- 3. Slowdown Checklist "COMPLETE" (LM) (E)

Two-Minute Checklist

- 1. "TWO-MINUTE WARNING ACKNOWLEDGED LOADMASTER" (LM)
- 2. "TWO-MINUTE CHECKLIST COMPLETE LOADMASTER" (LM)

One-Minute Checklist

- 1. "ONE-MINUTE WARNING ACKNOWLEDGED LOADMASTER" (LM)
- 12. "ONE-MINUTE CHECKLIST COMPLETE LOADMASTER" (LM)

Release Point Checklist

- 1. Green Light "**ON**" (P/CP)
- 2. Status of Load "LOAD CLEAR" (Or Condition) (LM)

Completion of Drop Checklist (Paratroop Door Exit)

- 1. Red Light "**ON**" (P/CP)
- 2. Paratroop Doors "CLOSED AND LOCKED" (LM)
- 3. Air Deflector Doors "CLOSED" (P/CP)
- 4. Flaps "**UP**" (P/CP)
- 5. Pressurization "**SET**" (E)
- 6. Red Light "**OFF**" (P/CP)
- 7. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- 18. Drop Checklist "COMPLETE" (LM) (E)

11 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 Completion of Drop Checklist (Ramp Exit)

- 1. Red Light "**ON**" (P/CP)
- 2. Ramp And Door "CLOSED AND LOCKED" (LM)
- 3. Flaps "**UP**" (P/CP)
- 4. Aux Pump "**OFF**" (CP)
- 5. Pressurization "SET" (E)
- 6. Red Light "**OFF**" (P/CP)
- 7. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
 - 8. Drop Checklist "COMPLETE" (LM) (E)

12 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 HIGH ALTITUDE EMERGENCY PROCEDURES

Decompression Sickness or Unusual Pain

- 1. Pilot Notified (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 2. Descend (P/CP)
- 3. Pressurization "PRESSURIZING" (E)
- 4. Mission Aborted (if able) (P)

13 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 PERSONNEL/RAMP BUNDLE

Twenty-Minute Checklist

- 11. "TWENTY MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. "PERSONNEL/RAMP BUNDLE CHECKLIST, TROOP DOOR/RAMP" (P)
- 3. Slowdown, Drop Zone, And Escape "**REVIEWED**" (P) (CP) (LN) (RN) (EWO)
- 4. Terminal Data "CHECKED" (LN) (RN)
- 5. Pressurization "DEPRESSURIZING" (E)
- 6. Twenty-Minute Checklist "COMPLETE" (LM) (E)

Ten-Minute Checklist

- 11. "TEN-MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. Cargo Release Button "MANUAL" (LN)
- 3. Red Light "**ON**" (P/CP)
- 4. Aux Pump "ON" (Ramp Exit Only) (CP)
- 5. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 6. Pressurization "NO PRESSURE" (E)
- 7. Ten-Minute Checklist "COMPLETE" (LM) (E)

14 <u>Six</u>	AFI 11-2MC-130V3 CL-2 x-Minute Checklist	21 JUNE 2004
1.	"SIX-MINUTE ADVISORY ACKNOWLEDGE	E D" (LM)
2.	"SIX-MINUTE CHECKS COMPLETE" (LM)	
Slo	owdown Checklist (Troop Door Exit)	
1.	Flaps - "50 PERCENT" (P/CP)	
2.	Air Deflector Doors - "OPENED" (P/CP)	i
3.	Paratroop Doors - a. "CLEAR TO OPEN" (P) b. "OPEN AND LOCKED" (LM)	
	Clearance Altitude/Radar Altimeters - "SET, STA" TTINGS" (P) (CP) (LN)	TE
5.	Slowdown Checklist - "COMPLETE" (LM) (E)	i ! !

15 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 Slowdown Checklist (Tailgate Exit)

- 1. Flaps **"50 PERCENT"** (P/CP)
- 2. Ramp and Door
 - a. "CLEAR TO OPEN" (LM) (P)
 - b. "OPEN AND LOCKED" (LM)
 - c. "INDICATES OPEN" (E)
- 3. Clearance Altitude/Radar Altimeters "SET, STATE SETTINGS" (P) (CP) (LN)
- 4. Slowdown Checklist "COMPLETE" (LM) (E)

One-Minute Checklist

- 1. "ONE-MINUTE WARNING ACKNOWLEDGED, LOADMASTER" (LM)
- '2. "ONE-MINUTE CHECKLIST COMPLETE LOADMASTER" (LM)

Release Point Checklist

- 1. Green Light "**ON**" (P/CP)
- 2. Status of Load "LOAD CLEAR" (Or Condition) (LM)

16 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 Completion of Drop Checklist (Troop Door Exit)

- 1. Red Light "**ON"** (P/CP)
- 2. Paratroop Doors "CLOSED AND LOCKED" (LM)
- 3. Air Deflector Doors "CLOSED" (P/CP)
- 4. Flaps "**UP**" (P/CP)
- 5. Pressurization "**SET**" (E)
- 6. Red Light "**OFF**" (P/CP)
- 7. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- 8. Drop Checklist "COMPLETE" (LM) (E)

17 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 <u>Completion of Drop Checklist (Ramp Exit)</u>

- 1. Red Light "**ON**" (P/CP)
- 2. Ramp and Door "CLOSED AND LOCKED" (LM)
- 3. Flaps "**UP**" (P/CP)
- 4. Aux Pump "**OFF**" (CP)
- 5. Pressurization "SET" (E)
- 6. Red Light "**OFF**" (P/CP)
- 7. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- 8. Drop Checklist "COMPLETE" (LM) (E)

18 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 PERSONNEL EMERGENCY PROCEDURES

Fouled/Towed Parachutists Procedures, Paratroop Door Exit, Utilizing Towed Paratroop Retrieval System/Paratroop Retrieval Bar/5000 Pound Strap

- 1. "**RED LIGHT ON**" (CP)
- 2. FLIR "RETRACTED" (RN)
- 3. Landing Gear "**DOWN**" (CP)
- !4. Flaps "100 PERCENT" (P/ CP/E)
- 5. Parachutists Condition "CONSCIOUS/ UNCONSCIOUS" (LM)
- '6. Parachutist Static Line "CUT/RETRIEVE" (P)
- 7. Status of Jumper "RETRIEVED/CUT AWAY" (LM).
- 8. Flaps "**50 PERCENT**" (P/CP/E)
- 9. Landing Gear "UP" (CP)

Fouled/Towed Parachutists Procedures Tailgate Exit

- 1. "**Red Light ON**" (CP)
- 2. Parachutists Condition "CONSCIOUS/ UNCONSCIOUS" (LM)
- 3. Parachutist Static Line "CUT/RETRIEVE" (P)
- 4. Status of Jumper "**RETRIEVED/CUT AWAY**" (LM)

20 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 CONTAINER DELIVERY SYSTEM

Twenty-Minute Checklist

- 11. "TWENTY-MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. "CDS CHECKLIST" (P)
- 3. Slowdown, Drop Zone, And Escape "**REVIEWED**" (P) (CP) (LN) (RN) (EWO)
- '4. Helmets and Oxygen Mask "ON" (If Required) (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 5. Terminal Data "CHECKED" (LN) (RN)
- 6. Pressurization "**DEPRESSURIZING**" (E)
- 7. Twenty-Minute Checklist "COMPLETE" (LM) (E)

AFI 11-2MC-130V3 CL-2 21 JUNE 2004 140 KIAS CDS/CRS FLAP SETTING CHART

AIRCRAFT GROSS WEIGHT	NUI	NUMBER OF BUNDLES		
	1-4	5-10	11-16	
FLAP SETTING				
90	*	*	*	
95	*	*	0	
100	*	*	4	
105	*	*	8	
110	*	1	12	
115	*	5	16	
120	0	9	19	
125	4	13	23	
130	7	16	27	
135	10	20	31	
140	14	24	35	
145	17	28	38	
150	20	31	42	
155	24	35	46	
160	27	39	50	

^{*}Recommend dropping at 130 KIAS for these gross weights.

22 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 130 KIAS CDS/CRS FLAP SETTING CHART

AIRCRAFT GROSS WEIGHT	NUI	NUMBER OF BUNDLES		
	1-4	5-10	11-16	
	FLAP S	ETTING		
90	*	2	7	
95	*	5	10	
100	*	8	13	
105	1	11	16	
110	4	14	19	
115	7	17	22	
120	11	20	25	
125	14	23	28	
130	17	25	31	
135	20	28	34	
140	23	31	37	
145	27	34	40	
150	30	37	43	
155	33	40	46	
160	36	43	49	

*When dropping CDS (1-4 bundles), it is recommended that the aircraft gross weight be no less than 104,000 pounds at the time of release. If the drop must be made, use 0 flaps and expect a longer than normal exit time.

NOTE: If aircraft gross weight exceeds 120,000 pounds, use 140 KIAS CDS/CRS flap setting chart. **EXCEPTION:** For CDS combination drops above 120,000 pounds use 130 KIAS and 130 KIAS flap setting chart.

Ten-Minute Checklist

- 1. "TEN-MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. Cargo Release Button "MANUAL" (LN)
- 3. Red Light "**ON**" (P/CP)
- 4. High Altitude Checks "COMPLETE" (If Required) (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 5. Aux Pump "ON" (Ramp Exit Only) (CP)
- 6. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 7. CDS Flap Setting "COMPUTED (STATE SETTING)" (P/CP)
- 8. Pressurization "**NO PRESSURE**" (E)
- '9. Ten-Minute Checklist "COMPLETE" (LM) (E)

Six-Minute Checklist (Combination Drops Only)

- 1. "SIX-MINUTE ADVISORY ACKNOWLEDGED, LOADMASTER" (LM)
- 2. "SIX-MINUTE CHECKS COMPLETE" (LM)

Slowdown Checklist

- 1. Flaps **"50 PERCENT"** (P/CP)
- 2. Ramp and Door
 - a. "CLEAR TO OPEN" (LM) (P)
 - b. "OPEN AND LOCKED" (LM)
 - c. "INDICATES OPEN" (E)
- 3. Clearance Altitude/Radar Altimeters "SET, STATE SETTINGS" (P) (CP) (LN)
- 4. Flaps "AS REQUIRED" (P/CP)
- 5. Slowdown Checklist "COMPLETE" (LM) (E)

One-Minute Checklist

- 1. "ONE-MINUTE WARNING ACKNOWLEDGED, LOADMASTER" (LM)
- 2. "ONE-MINUTE CHECKLIST COMPLETE LOADMASTER" (LM)

Release Point Checklist

- 1. Green Light "**ON**" (P/CP)
- 2. Status of Gate "GATE RELEASED" (Or Condition) (LM)
- 3. Status of Load "LOAD CLEAR" (Or Condition) (LM)

25 AFI 11-2MC-130V3 CL-2

21 JUNE 2004

Completion of Drop Checklist

- 1. Red Light "**ON**" (P/CP)
- 2. Flaps **"50 PERCENT"** (P/CP)
- 3. Ramp and Door "CLOSED AND LOCKED" (LM)
- 4. Flaps "**UP**" (P/CP)
- 5. Aux Pump "**OFF**" (CP)
- 6. Pressurization "SET" (E)
- 7. Red Light "**OFF**" (P/CP)
- 8. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- 19. Drop Checklist "COMPLETE" (LM) (E)

26 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 CONTAINER DELIVERY SYSTEM EMERGENCY PROCEDURES

Gate Fails to Release or Load Fails to Exit

- 1. Pilot Notified "MALFUNCTION" (LM)
- 2. Flaps Set (P/CP/E)
- 3. Ramp and Door "CLEARED TO CLOSE LOADMASTER" (LM)
- 14. Ramp and Door Closed on clearance from the loadmaster (E)
- 5. "MALFUNCTION CHECKLIST COMPLETE LOADMASTER" (LM)

AFI 11-2MC-130V3 CL-2 HEAVY EQUIPMENT

21 JUNE 2004

Twenty-Minute Checklist

- 11. "TWENTY-MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. "HEAVY EQUIPMENT CHECKLIST" (P)
- 3. Slowdown, Drop Zone, And Escape "**REVIEWED**" (P) (CP) (LN) (RN) (EWO)
- 4. Terminal Data "CHECKED" (LN) (RN)
- 5. Pressurization "DEPRESSURIZING" (E)
- 6. Twenty-Minute Checklist "COMPLETE" (LM) (E)

Ten-Minute Airdrop Checklist

- 1. "TEN-MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. Cargo Release Button "MANUAL" (LN)
- 3. Red Light "**ON**" (P/CP)
- 4. Aux Pump "**ON**" (CP)
- 5. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 6. Pressurization "NO PRESSURE" (E)
- 7. Ten-Minute Checklist "COMPLETE" (LM) (E)

28 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 Six-Minute Checklist (Combination drops only)

- 1. "SIX-MINUTE ADVISORY ACKNOWLEDGED" (LM)
- 2. "SIX-MINUTE CHECKS COMPLETE" (LM)

Slowdown Checklist

- 1. Flaps **"50 PERCENT"** (P/CP)
- 2. Ramp and Door
 - a. "CLEAR TO OPEN" (LM) (P)
 - b. "OPEN AND LOCKED" (LM)
 - c. "INDICATES OPEN" (E)
- 3. Clearance Altitude/Radar Altimeters "SET, STATE SETTINGS" (P) (CP) (LN)
- 4. Slowdown Checklist "COMPLETE" (LM) (E)

One-Minute Checklist

- 1. "ONE-MINUTE WARNING ACKNOWLEDGED, LOADMASTER" (LM)
- 2. "ONE-MINUTE CHECKLIST COMPLETE" (LM)

29 AFI 11-2MC-130V3 CL-2

21 JUNE 2004

Release Point Checklist

- 1. Green Light "ON," ADS ACTUATED (P/CP)
- 2. Status of Load "LOAD CLEAR" (Or Condition) (LM)

Completion of Drop Checklist

- 1. Red Light "**ON**" (P/CP)
- 2. Ramp and Door "CLOSED AND LOCKED" (LM)
- 3. Flaps "**UP**" (P/CP)
- 4. Aux Pump "**OFF**" (CP)
- 5. Pressurization "**SET**" (E)
- 6. Red Light "**OFF**" (P/CP)
- 7. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- 8. Drop Checklist "COMPLETE" (LM) (E)

AFI 11-2MC-130V3 CL-2 21 JUNE 2004 HEAVY EQUIPMENT EMERGENCY PROCEDURES

Loose Platform

- 1. Notify Pilot "LOOSE PLATFORM" (LM)
- '2. "RAMP AND DOOR CLEAR TO CLOSE LOADMASTER" (LM)
- 3. Ramp and Door Closed (E)
- 4. "MALFUNCTION CHECKLIST COMPLETE LOADMASTER." (LM)

Extraction Parachute Fails To Release Mechanically, Extraction Parachute Falls On The Ramp, Or Load Fails To Extract With Single Extraction Parachute Outside The Aircraft

- 1. Notify Pilot "MALFUNCTION" (LM)
- 2. "RAMP AND DOOR CLEAR TO CLOSE LOADMASTER" (LM)
- 3. Ramp and Door Closed (E)
- 4. "MALFUNCTION CHECKLIST COMPLETE LOADMASTER." (LM)

31	AFI 11-2MC-130V3 CL-2	21 JUNE 2004
Multiple 28 l	Foot Extraction Parachutes Fail To R	<u>elease</u>
Mechanically	y Or Fall On The Ramp	

- 1. Notify Pilot "MALFUNCTION" (LM)
- 2. "RAMP AND DOOR CLEAR TO CLOSE LOADMASTER" (LM)
- 3. Ramp and Door Closed (E)
- 4. "MALFUNCTION CHECKLIST COMPLETE LOADMASTER." (LM)

Load Fails to Extract Multiple 28 Foot Extraction Parachutes

1. Notify Pilot - "LOAD FAILED TO EXTRACT." (LM)

Twenty-Minute Checklist

- 11. "TWENTY-MINUTE WARNING ACKNOWLEDGED LM" (LM)
- !2. "BLU-82 CHECKLIST" (P)
- 3. Helmets and Oxygen Mask "ON" (If Required) (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 4. Slowdown, Drop Zone, And Escape "REVIEWED"(P) (CP) (LN) (RN) (EWO)
- 5. Terminal Data "CHECKED" (LN) (RN)
- 6. Pressurization- "DEPRESSURIZING" (E)
- 17. Twenty-Minute Checklist "COMPLETE" (LM, E)

Ten-Minute Checklist

- 1. "TEN-MINUTE WARNING ACKNOWLEDGED." (LM)
- 2. High Altitude Checks "COMPLETE" (if required) (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 3. Cargo Release Button "MANUAL" (LN)
- 4. Red Light "**ON**" (P/CP)
- 5. Aux Pump "**ON**" (CP)
- 6. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 7. Pressurization "NO PRESSURE" (E)
- !8. Ten-Minute Checklist "COMPLETE" (LM) (E)

Six-Minute Checklist

- 1. "SIX-MINUTE ADVISORY ACKNOWLEDGED" (LM)
- 2. "SIX-MINUTE CHECKS COMPLETE" (LM)

Slowdown Checklist

- 1. Flaps **"50 PERCENT"** (P/CP)
- 2. Ramp and Door
 - a. "CLEAR TO OPEN" (LM) (P)
 - b. "OPEN AND LOCKED" (LM)
 - c. "INDICATES OPEN" (E)
- 3. Slowdown Checklist "COMPLETE" (LM) (E)

One-Minute Checklist

- 1. "ONE-MINUTE WARNING ACKNOWLEDGED LOADMASTER." (LM)
- 2. "ONE-MINUTE CHECKLIST COMPLETE LOADMASTER." (LM)

Release Point Checklist

- 1. Green Light "ON" ADS ACTUATED (P/CP)
- 2. Status of Load "LOAD CLEAR" (Or Condition) (LM)

Completion of Drop Checklist

- 1. Red Light "**ON**" (P/CP)
- 2. Ramp And Door "CLOSED AND LOCKED" (LM)
- 3. Flaps "**UP**" (P/CP)
- 4. Aux Pump "**OFF**" (CP)
- 5. Pressurization "SET" (E)
- 6. Red Light "**OFF**" (P/CP)
- 7. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- 8. Drop Checklist "COMPLETE" (LM) (E)

36 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 BLU-82B EMERGENCY PROCEDURES

Loose Platform

- 1. Notify Pilot "LOOSE PLATFORM" (LM)
- '2. "RAMP AND DOOR CLEAR TO CLOSE LOADMASTER" (LM)
- 3. Ramp and Door Closed (E)
- 4. "MALFUNCTION CHECKLIST COMPLETE LOADMASTER." (LM)

Extraction Parachute Fails To Release Mechanically, Extraction Parachute Falls On The Ramp, Or Load Fails To Extract

- 1. Notify Pilot "MALFUNCTION" (LM)
- '2. "RAMP AND DOOR CLEAR TO CLOSE LOADMASTER." (LM)
- 3. Ramp and Door Closed (E)
- 4. "MALFUNCTION CHECKLIST COMPLETE LOADMASTER." (LM)

37 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 HIGH SPEED LOW LEVEL AERIAL DELIVERY SYSTEM

Twenty-Minute Checklist

- 11. "TWENTY-MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. "HSLLADS CHECKLIST" (P)
- 3. Slowdown, Drop Zone, And Escape "**REVIEWED**" (P) (CP) (LN) (RN) (EWO)
- 4. Terminal Data "CHECKED" (LN) (RN)
- 5. Pressurization "**DEPRESSURIZING**" (E)
- 6. Twenty-Minute Checklist "COMPLETE" (LM) (E)

Ten-Minute Checklist

- 1. "TEN-MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. Cargo Release Button "MANUAL" (LN)
- 3. Red Light "**ON**" (P/CP)
- 4. Aux Pump "**ON**" (CP)
- 5. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 6. Pressurization "NO PRESSURE" (E)
- 7. Ten-Minute Checklist "COMPLETE" (LM) (E)

38	AFI 11-2MC-130V3 CL-2	21 JUNE 2004

Three-Minute Checklist

- 1. Ramp And Door
 - a. "CLEAR TO OPEN" (LM, P)
 - b. "OPEN AND LOCKED" (LM)
 - c. "INDICATES OPEN" (E)
- 2. Clearance Altitude/Radar Altimeters "SET, STATE SETTINGS" (P) (CP) (LN)
- 3. Three-Minute Checklist "COMPLETE" (LM) (E)

One-Minute Checklist

- 1. "ONE-MINUTE WARNING ACKNOWLEDGED LOADMASTER" (LM)
- 2. "ONE-MINUTE CHECKLIST COMPLETE LOADMASTER" (LM)

Release Point Checklist

- 1. Green Light "ON," ADS Actuated (P/CP)
- 2. "LOAD CLEAR" (or condition) (LM)

Completion of DropChecklist

- 1. Red Light "**ON**" (P/CP)
- 2. Ramp And Door "CLOSED AND LOCKED" (LM)
- '3. Aux Pump "**OFF**" (CP)
- 4. Pressurization "SET" (E)
- 5. Red Light "**OFF**" (P/CP)
- 6. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- 7. Drop Checklist "COMPLETE" (LM) (E)

40 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 HIGH SPEED LOW LEVEL AERIAL DELIVERY SYSTEM EMERGENCY PROCEDURES

HSLLADS or Ramp and Door Malfunction During Opening of Ramp and Door

- 1. Pilot Notified "OPENING MALFUNCTION" (LM)
- 2. Ramp and Door Stop Opening Action (E)
- 13. Ramp and Door "CLEAR TO CLOSE LOADMASTER" (LM)
- 4. Ramp and Door Closed and Locked (E)
- 5. "MALFUNCTION CHECKLIST COMPLETE LOADMASTER" (LM)

Sling Deterioration After Ramp and Door is Opened

- 1. Pilot Notified "SLING DETERIORATION" (LM)
- 2. Ramp and Door "CLEAR TO CLOSE LOADMASTER" (LM)
- 3. Ramp and Door Closed and Locked (E)
- 4. "MALFUNCTION CHECKLIST COMPLETE LOADMASTER" (LM)

AFI 11-2MC-130V3 CL-2 21 JUNE 2004 Release Assembly Fails to Release, or Load Fails to Exit

- 1. Pilot Notified "MALFUNCTION" (LM)
- 2. Ramp and Door "CLEAR TO CLOSE LOADMASTER" (LM)
- 3. Ramp and Door Closed and Locked (E)
- 4. "MALFUNCTION CHECKLIST COMPLETE LOADMASTER" (LM)

42 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 CONTAINER RELEASE SYSTEM

Twenty-Minute Checklist

- 1. "TWENTY-MINUTE WARNING ACKNOWLEDGED" (LM)
- ¹2. "CRS CHECKLIST" (P)
- 3. Slowdown, Drop Zone, And Escape "**REVIEWED**" (P) (CP) (LN) (RN) (EWO)
- 4. Terminal Data "CHECKED" (LN) (RN)
- 5. Pressurization- "DEPRESSURIZING" (E)
- 6. Twenty-Minute Checklist "COMPLETE" (LM) (E)

AFI 11-2MC-130V3 CL-2 21 JUNE 2004 140 KIAS CDS/CRS FLAP SETTING CHART

AIRCRAFT GROSS WEIGHT	NUMBER OF BUNDLES					
	1-4	5-10	11-16			
FLAP SETTING						
90	*	*	*			
95	*	*	0			
100	*	*	4			
105	*	*	8			
110	*	1	12			
115	*	5	16			
120	0	9	19			
125	4	13	23			
130	7	16	27			
135	10	20	31			
140	14	24	35			
145	17	28	38			
150	20	31	42			
155	24	35	46			
160	27	39	50			

^{*}Recommend dropping at 130 KIAS for these gross weights.

44 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 130 KIAS CDS/CRS FLAP SETTING CHART

AIRCRAFT GROSS WEIGHT	NU.	NUMBER OF BUNDLES				
	1-4	5-10	11-16			
FLAP SETTING						
90	*	2	7			
95	*	5	10			
100	*	8	13			
105	1	11	16			
110	4	14	19			
115	7	17	22			
120	11	20	25			
125	14	23	28			
130	17	25	31			
135	20	28	34			
140	23	31	37			
145	27	34	40			
150	30	37	43			
155	33	40	46			
160	36	43	49			

*When dropping CDS/CRS (1-4 bundles), it is recommended that the aircraft gross weight be no less than 104,000 pounds at the time of release. If the drop must be made, use 0 flaps and expect a longer than normal exit time.

NOTE: If aircraft gross weight exceeds 120,000 pounds, use 140 KIAS CDS/CRS flap setting chart. **EXCEPTION:** For combination drops above 120,000 pounds use 130 KIAS and 130 KIAS flap setting chart.

Ten-Minute Checklist

- 11. "TEN-MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. Cargo Release Button "MANUAL" (LN)
- 3. Red Light "**ON**" (P/CP)
- 4. Aux Pump "**ON**" (CP)
- 5. CRS Flap Setting "COMPUTED" (P/CP) (E)
- 6. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 7. Pressurization "**NO PRESSURE**" (E)
- 8. Ten-Minute Checklist "COMPLETE" (LM) (E)

Six-Minute Checklist (Combination Drops Only)

- 1. "SIX-MINUTE ADVISORY ACKNOWLEDGED, LOADMASTER" (LM)
- 12. "SIX-MINUTE ADVISORY CHECKS COMPLETE, LOADMASTER" (LM)

Slowdown Checklist

- 1. Flaps **"50 PERCENT"** (P/CP)
- 2. Ramp and Door
 - a. "CLEAR TO OPEN" (LM) (P)
 - b. "OPEN AND LOCKED" (LM)
 - c. "INDICATES OPEN" (E)
- 3. Clearance Altitude/Radar Altimeters "SET, STATE SETTINGS" (P) (CP) (LN)
- !4. Flaps "**AS REQUIRED**" (P)
- 5. Slowdown Checklist "COMPLETE" (LM) (E)

One-Minute Checklist

- 1. "ONE-MINUTE WARNING ACKNOWLEDGED LOADMASTER" (LM)
- 2. "ONE-MINUTE CHECKLIST COMPLETE LOADMASTER" (LM)

Release Point Checklist

- 1. Green Light "ON," ADS Actuated (P/CP)
- 2. "LOAD CLEAR" (or condition) (LM)

Completion of Drop Checklist

- 1. Red Light "**ON**" (P/CP)
- 2. Flaps **"50 PERCENT"** (P/CP)
- 3. Ramp And Door "CLOSED AND LOCKED" (LM)
- 4. Flaps "**UP**" (P/CP)
- 5. Aux Pump "**OFF**" (CP)
- 6. Pressurization "SET" (E)
- 7. Red Light "**OFF**" (P/CP)
- 8. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- 19. Drop Checklist "COMPLETE" (LM) (E)

48 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 CONTAINER RELEASE SYSTEM EMERGENCY PROCEDURES

Assembly Fails to Release, or Load Fails to Exit

- 1. Pilot Notified "MALFUNCTION" (LM)
- 2. Flaps Set (P/CP/E)
- 3. Ramp and Door "CLEARED TO CLOSE" (LM)
- 4. Ramp and Door Closed and Locked (E)
- 5. "MALFUNCTION CHECKLIST COMPLETE." (LM)

AFI 11-2MC-130V3 CL-2 LEAFLET

21 JUNE 2004

Twenty-Minute Checklist

- 11. "TWENTY-MINUTE WARNING ACKNOWLEDGED LM" (LM)
- 2. "LEAFLET CHECKLIST" (P)
- 3. Helmets and Oxygen Mask "ON" (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- '4. Slowdown, Drop Zone, And Escape "**REVIEWED**" (P) (CP) (LN) (RN) (EWO)
- 5. Terminal Data "CHECKED" (LN) (RN)
- 6. Pressurization- "DEPRESSURIZING" (E)
- 17. Twenty-Minute Checklist "COMPLETE" (LM) (E)

Ten-Minute Checklist

- 11. "TEN-MINUTE WARNING ACKNOWLEDGED" (LM)
- 2. Cargo Release Button "MANUAL" (LN)
- 3. Red Light "**ON**" (P/CP)
- 4. High Altitude Checks "COMPLETE" (If Required) (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 5. Aux Pump "**ON**" (CP)
- 6. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 7. Pressurization "NO PRESSURE" (E)
- 8. Ten-Minute Checklist "COMPLETE" (LM) (E)

Slowdown/Three Minute Checklist

- 1. Flaps "AS REQUIRED" (P/CP)
- 2. Ramp
 - a. "CLEAR TO OPEN" (P)
 - b. "**OPEN**" (LM)
- 3. Clearance Altitude/Radar Altimeters "SET, STATE SETTINGS" (P) (CP) (LN) (Low altitude drops only)
- 4. Slowdown/Three Minute Checklist "COMPLETE" (LM) (E)

One-Minute Checklist

- 1. "ONE-MINUTE WARNING ACKNOWLEDGED LOADMASTER" (LM)
- 2. "ONE-MINUTE CHECKLIST COMPLETE **LOADMASTER**" (LM)

Release Point Checklist

- 1. Green Light "**ON**" (P/CP)
- 2. "THIRTY SECOND ADVISORY" (LN)
- '3. "LOAD CLEAR" (or condition) (LM)

Completion of Drop Checklist

- 1. Red Light "**ON**" (P/CP)
- 2. Ramp "CLOSED AND LOCKED" (LM)
- 3. Flaps "**UP**" (P/CP)
- 4. Aux Pump "**OFF**" (CP)
- 5. Pressurization "SET" (E)
- 6. Red Light "**OFF**" (P/CP)
- 7. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- 8. Drop Checklist "COMPLETE" (LM) (E)

AFI 11-2MC-130V3 CL-2 21 JUNE 2004 HOT REFUELING (TANKER)

Pre-Hot Refueling Checklist

- 1. "HOT REFUELING (TANKER) CHECKLIST" (P)
 Hot Refueling (Tanker) Checklist "ACKNOWLEDGED" (LM)
- 2. Crew Briefing "COMPLETE" (P)
- 3. Radios and navigational equipment "**SET**" (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 14. ECM equipment "**SET**" (Off/Safe/Standby, as required) (EWO) (LM)
- 5. Oil cooler augmentation switches (some aircraft) On (E)
- 6. Exits "CLEARED TO OPEN" (P)
- 7. Clearance to Offload "CLEARED TO OFFLOAD" (P)
- 8. Hot Brake Check "COMPLETE" (HRS)
- 9. Dump pump switches ON (E)
- 10. Pre Hot Refueling (Tanker) Checklist "COMPLETE" (PO) (HRS) (E)

54

AFI 11-2MC-130V3 CL-2

21 JUNE 2004

Hot Refueling Checklist

- 1. Fuel offload "COMPLETE" (HRS)
- 2. Hot Refueling (Tanker) Checklist "COMPLETE" (PO) (HRS)

Post Hot Refueling Checklist

- 1. Dump pumps Off (E)
- 2. UARRSI panel Set (E)
- 13. Radios and navigational equipment "**SET**" (P) (CP) (E) (LN) 12. (RN) (EWO) (RO) (LM)
- 4. ECM equipment "SET" (ON/Safe/Standby as required) (EWO) (LM)
- 5. Oil cooler augmentation switches (some aircraft) Off (E)
- 6. Post Hot Refueling (Tanker) Checklist "**COMPLETE**" (PO) (HRS) (E)

55 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 HOT REFUELING (RECEIVER)

Pre-Hot Refueling Checklist

- 11. "HOT REFUELING (RECEIVER) CHECKLIST" (P)
- 2. Hot Refueling (Receiver) Checklist "ACKNOWLEDGED" (LM)
- 3. Crew Briefing "COMPLETE" (P)
- 4. Radios and navigational equipment "**SET**" (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 5. ECM equipment "**SET**" (Off/Safe/Standby, as required) (EWO)
- 6. Oil cooler augmentation switches (some aircraft) On (E)
- 7. Exits "CLEARED TO OPEN" (P)
- 8. Clearance to offload "CLEARED TO OFFLOAD" (P)
- 9. Hot Brake Check "COMPLETE" (PO)
- 10. UARRSI panel Set (E)
- 11. Pre Hot Refueling (Receiver) Checklist "COMPLETE" (PO) (E)

Hot Refueling Checklist

- 1. Fuel onload "COMPLETE" (PO)
- 2. Hot Refueling (Receiver) Checklist -"**COMPLETE**" (PO) (E)

Post-Hot Refueling Checklist

- 1. UARRSI panel "SET" (E)
- 2. Radios and navigational equipment "SET" (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 3. ECM equipment "SET" (ON/Safe/Standby as required) (EWO) (LM)
- 4. Oil cooler augmentation switches (some aircraft) Off (E)
- 5. Post Hot Refueling (Receiver) Checklist "**COMPLETE**" (PO)

57 AFI 11-2MC-130V3 CL-2 21 JUNE 2004 HOT REFUELING EMERGENCY PROCEDURES

Fuel Leak/Spill

1. Controlling Agency/Fire Department - Notified (CP)

Aircraft Egress

1. Crew Notified - "EGRESS, EGRESS, EGRESS" (PO/HRS/LM)

Aircraft Fire/Sparks/Aircraft Taxi

- 1. Notify Pilot "TAXI, TAXI, TAXI" (HRS/PO)
- 2. Aircraft Taxied (P)
- 3. Controlling Agency/Fire Department Notified (CP)

Fuel Spill on Personnel

1. Controlling Agency/Fire Department - Notified (CP)

FAM Cart Emergency

1. Fire Department - Notified (If Available) (CP)

AFI 11-2MC-130V3 CL-2 COMBAT OFFLOAD

21 JUNE 2004

Preparation for Combat Offload Checklist

- 1. "COMBAT OFFLOAD PREPARATION CHECKLIST" (P)
- 2. Combat Offload Preparation Checklist "**ACKNOWLEDGED**" (LM)
- 3. Crew briefing "COMPLETE" (P)
- 4. Interphone/PA system "ON/CHECKED" (P) (CP) (E) (LN) (LM)
- 5. Ramp and Door "CLEAR TO OPEN." (P) "OPEN AND LOCKED." (LM)
- 6. Preparation for Offload Checklist "COMPLETE" (LM) (E)

AFI 11-2MC-130V3 CL-2 21 JUNE 2004 **Combat Offload Method A Checklist** 11. "METHOD "A" OFFLOAD CHECKLIST" (P) 2. Method "A" Offload Checklist - "ACKNOWLEDGED" (LM) 3. Aircraft – Positioned and stopped (P) 4. Brakes - "**SET**" (P) 5. "CLEAR TO TAXI LOADMASTER." (LM) 6. Aircraft – Taxied (P) 7. "**LOAD CLEAR**" (LM) 8. Aircraft - Stopped (P) 9. Brakes - "**SET**" (P) 10. "CLEAR TO TAXI LOADMASTER." (LM) 11. Aircraft – Taxied (P) 12. "LOAD CLEAR" (or condition)" (LM) 13. Aircraft – Stopped (P) 14. Interphone/PA switch - "INTERPHONE" (P) 15. Offload Checklist - "COMPLETE" (LM) (E)

AFI 11-2MC-130V3 CL-2 21 JUNE 2004 **Combat Offload Method B Checklist** 11. "METHOD "B" OFFLOAD CHECKLIST" (P) 12. Method "B" Offload Checklist - "ACKNOWLEDGED" (LM) 3. Aircraft – Positioned and stopped (P) 4. Brakes - "**SET**" (P) 5. "CLEAR TO TAXI LOADMASTER" (LM) 6. Aircraft – Taxied (P) 7. "**STOP TAXI**" (LM) 8. Brakes - "**SET**" (P) 9. "CLEAR TO TAXI LOADMASTER" (LM) 10. "**LOAD CLEAR**" (LM) 11. Interphone/PA switch - "INTERPHONE" (P) 12. Offload Checklist - "COMPLETE" (LM) (E)

AFI 11-2MC-130V3 CL-2 21 JUNE 2004 **SEARCH**

Pre-Search Checklist

61

- 1. "PRE SEARCH CHECKLIST" (P) "ACKNOWLEGED, LOADMASTER" (LM)
- 2. Crew Briefing "COMPLETE" (P)
- 3. Stall Speeds "COMPUTED" (E)
- 4. Helmets and Oxygen Mask "ON" (If Required) (P) (CP) (E) (LN) !(RN) (EWO) (RO) (LM)
- 5. Pressurization Set (E)
- 6. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" !(P) (CP) (LN)
- 7. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 8. High Altitude Checks "COMPLETE" (if required) (P) (CP) (E) (LN) (RN) (EWO) (RO) (LM)
- 9. Flaps "SET, STATE SETTING" (P/CP)
- 10. Airspeed Checked (P) (CP) (E)
- 11. Air Deflector Doors "**OPEN**" (if required) (P/CP)
- 12. Auxiliary Hydraulic Pump "**ON**" (CP) (If ramp is to be opened)
- 13. Paratroop Door/Ramp and Door "CLEAR TO OPEN" (As Required) (LM) (P)

- 14. Ramp and Door "INDICATES OPEN" (E)
- 15. Pre Search Checklist "COMPLETE" (LM) (E)

Post-Search Checklist

- 1. "POST SEARCH CHECKLIST" (P)
 "ACKNOWLEGED, LOADMASTER" (LM)
- 2. Air Deflector Doors (if required) "OPEN" (P/CP)
- 13. Ramp and Door/Paratroop Doors "CLOSED AND LOCKED LOADMASTER" (LM)
- 4. Air Deflector Doors "CLOSED" (P/CP)
- 5. Auxiliary Hydraulic Pump "**OFF**" (CP) (If Required)
- 6. Flaps "SET, STATE SETTING" (P/CP)
- 7. Pressurization Set (E)
- 8. Clearance Altitude/Radar Altimeters "SET, STATE SETTING" (P) (CP) (LN)
- '9. Altimeters "SET, STATE SETTING" (P) (CP) (LN) (EWO)
- 10. Post Search Checklist "COMPLETE" (LM) (E)